

Lado (pol.)	Lado (mm)	Espessura (pol.)	Espessura (mm)	Peso (kg/m)
1/2	12,70	1/16	1,58	0,102
1/2	12,70	1/8	3,17	0,190
5/8	15,87	1/8	3,17	0,245
3/4	19,05	1/16	1,58	0,156
3/4	19,05	1/8	3,17	0,299
7/8	22,22	1/8	3,17	0,353
1	25,40	1/16	1,58	0,210
1	25,40	1/8	3,17	0,408
1 1/4	31,75	1/8	3,17	0,516
1 1/4	31,75	3/16	4,76	0,755
1 1/2	38,10	1/8	3,17	0,625
1 1/2	38,10	3/16	4,76	0,918

PERFIL T

1



Lado (pol.)	Lado (mm)	Espessura (pol.)	Espessura (mm)	Peso (kg/m)
3/8	9,52	1/16	1,58	0,108
1/2	12,70	1/16	1,58	0,149
5/8	15,87	1/16	1,58	0,190
5/8	15,87	3/32	2,38	0,275
5/8	15,87	1/8	3,17	0,353
3/4	19,05	1/16	1,58	0,230
3/4	19,05	3/32	2,38	0,337
3/4	19,05	1/8	3,17	0,435
7/8	22,22	3/32	2,38	0,398
7/8	22,22	1/8	3,17	0,516
1	25,40	3/32	2,38	0,459
1	25,40	1/8	3,17	0,598
1 1/4	31,75	1/8	3,17	0,761
1 1/2	38,10	1/8	3,17	0,924

 PERFIL U
 abas iguais


Base (pol.)	Base (mm)	Altura (pol.)	Altura (mm)	Espessura (pol.)	Espessura (mm)	Peso (kg/m)
3/8	9,52	1/2	12,70	1/16	1,58	0,135
1/2	12,70	3/8	9,52	1/16	1,58	0,122
5/8	15,87	3/8	9,52	3/32	2,38	0,194
3/4	19,05	3/8	9,52	3/32	2,38	0,214
3/4	19,05	1/2	12,70	1/16	1,58	0,176
3/4	19,05	1/2	12,70	3/32	2,38	0,255
1	25,40	3/8	9,52	1/8	3,17	0,326
1	25,40	1/2	12,70	1/8	3,17	0,381
1 1/4	31,75	1/2	12,70	1/8	3,17	0,435
1 1/2	38,10	1/2	12,70	3/32	2,38	0,377
1 1/2	38,10	1	25,40	1/8	3,17	0,707
2	50,80	1	25,40	1/8	3,17	0,815
3	76,20	1	25,40	1/8	3,17	1,033
4	101,60	1 1/2	38,10	3/16	4,76	2,163
4	101,60	1 1/2	38,10	1/4	6,35	2,831
4	101,60	2	50,80	1/8	3,17	1,685
5	127,00	2	50,80	3/16	4,76	2,816
5	127,00	2	50,80	1/4	6,35	3,702

 PERFIL U
 abas desiguais

3

